Page 1/11



Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 10.11.2022

Version number 2 (replaces version 1)

Revision: 10.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

· Trade name: CLEAN BOAT SPECIAL CARENE

- · UFI: M500-E063-T00P-GFA0
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the preparation : Cleaning agent/ Cleaner
- 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: CB DISTRIBUTION 1416 avenue du Général de Gaulle 83300 DRAGUIGNAN - FRANCE Téléphone : 33 (0)4 89 99 05 07 E-mail : cbdistribution@outlook.com

• **1.4 Emergency telephone number:** France (INRS 24h/24) - Tel : +33 (0)1 45 42 59 59 Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel: 112 Belgium - Brüssel: +32 070/245 245

UK : Call NHS 999 in a medical emergency. If you urgently need medical help or advice but it's not a lifethreatening situation, call 111 (24/7). The NHS 111 number is currently only available in certain areas. If you're outside of these areas, you should call NHS Direct on 0845 4647 Swiss Toxicological Information Centre (Zürich) : +41 44 251 51 51 / www.toxi.ch.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008 :



Met. Corr.1 H290 May be corrosive to metals.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 10.11.2022

Version number 2 (replaces version 1)

Revision: 10.11.2022

(Contd. of page 1)

Trade name: CLEAN BOAT SPECIAL CARENE

· Hazard pictograms



· Signal word Warning

· Hazard-determining components of labelling:

hydrogen chloride

· Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.

P234	Keep only in original packaging.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

The mixture shall not contain substances listed in accordance with Article 59(1) of UK REACH as having endocrine disrupting properties, or be recognised as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in a concentration equal to or greater than 0.1%.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture: consisting of the following components.

⁻ GB —



Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 10.11.2022

Version number 2 (replaces version 1)

Revision: 10.11.2022

(Contd. of page 2)

Trade name: CLEAN BOAT SPECIAL CARENE

· Dangerous components:

CAS: 7647-01-0	hydrogen chloride	<25.0%
EINECS: 231-595-7	 <	
Index number: 017-002-01-X	Specific concentration limits: Skin Corr. 1B; H314: $C \ge 25 \%$	
RTECS: MW 9620000	Skin Irrit. 2; H315: 10 % ≤ C < 25	
Reg.nr.: 01-2119484862-27-xxx	x %	
-	Eye Dam. 1; H318: C ≥ 25 %	
	Eye Irrit. 2; H319: 10 % ≤ C < 25 %	
	STOT SE 3; H335: C ≥ 10 %	
Additional information: For the	wording of the listed rick phrases, refer to section 16	

• Additional information: For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- · After inhalation:
- In case of unconsciousness place patient in a stable laying down side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed :
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed : No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Suitable extinguishing agents: Extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture : Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

· Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures :
- Do not breathe fumes, vapours, gases, aerosols
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow the product to enter sewers/ surface water or ground water.



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 10.11.2022

Version number 2 (replaces version 1)

Revision: 10.11.2022

Trade name: CLEAN BOAT SPECIAL CARENE

- 6.3 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Ensure adequate ventilation.
 6.4 Reference to other sections :
- See Section 7 for information on safe handling. See Section 8 for information on personal protective equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling :** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:
- Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.
- Further information about storage conditions:
 Protect from humidity and water.
 Keep container tightly sealed.
 7.3 Specific end use(s) : No further relevant information available.

SECTION 8: Exposure controls/personal protection

•	8.1	Control	parameters
---	-----	---------	------------

Ingredients with limit values that require monitoring at the workplace:

CAS: 7647-01-0 hydrogen chloride (10-25%)

SSc:

WEL (Great Britain)	Short-term value: 8 mg/m³, 5 ppm Long-term value: 2 mg/m³, 1 ppm (gas and aerosol mists)
IOELV (EU)	Short-term value: 15 mg/m³, 10 ppm Long-term value: 8 mg/m³, 5 ppm
MAK (Switzerland)	Short-term value: 6 mg/m³, 4 ppm Long-term value: 3 mg/m³, 2 ppm

DNELs

CAS: 7647-01-0 hydrogen chloride

Inhalative DNEL Worker long-term local effects 8 mg/m³

DNEL Worker acute/short-term local effects 15 mg/m³

0.0036 mg/L

PNECs

CAS: 7647-01-0 hydrogen chloride

PNEC STP



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 10.11.2022

Version number 2 (replaces version 1)

Revision: 10.11.2022

(Contd. of page 4)

Trade name: CLEAN BOAT SPECIAL CARENE

PNEC aqua (fresh water) 0.0036 mg/L

PNEC aqua (marine water) 0.0036 mg/L

· Additional information:

The most current valid lists have been used as a basis for the production of this document.

- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Keep away from food, beverages and petfood. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- **Respiratory protection:**



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

- · Gloves material : Butyl rubber, BR
- · Eye/face protection



Tightly sealed goggles

· Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information · Physical state Liquid · Form: Liquid · Colour: Red · Odour: Characteristic · Odour threshold: · Melting point/freezing point: -52 °C

Not determined.

(Contd. on page 6)



Page 6/11

Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 10.11.2022

Version number 2 (replaces version 1)

Revision: 10.11.2022

Trade name: CLEAN BOAT SPECIAL CARENE

Deiling point or initial bailing point and bailing	(Contd. of page 5)
 Boiling point or initial boiling point and boiling range 	>90 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Ignition temperature:	Not applicable.
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Kinematic:	
· Dynamic at 15 °C:	1.9 mPas
Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1.2 g/cm ³
· Relative density :	Not determined.
· Vapour density :	Not determined.
· 9.2 Other information :	
· Important information on protection of health	1
and environment, and on safety.	
· Auto-ignition temperature:	Product is not self igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· COV (CH) :	0.00 %
· Change in condition	
· Evaporation rate :	Not determined.
·Information with regard to physical hazard	1
classes	
· Explosives	Not classified as hazardous
	Not classified as hazardous
· Flammable gases	Not classified as hazardous
	Not classified as hazardous
Aerosols	Not classified as hazardous
	Not classified as hazardous
· Oxidising gases	Not classified as hazardous
	Not classified as hazardous
[.] Gases under pressure	Not classified as hazardous
	Not classified as hazardous
	(Contd. on page 7)



Page 7/11

Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 10.11.2022

Version number 2 (replaces version 1)

Revision: 10.11.2022

Trade name: CLEAN BOAT SPECIAL CARENE

		(Contd. of page 6)
· Flammable liquids	Not classified as hazardous	
	Not classified as hazardous	
Flammable solids	Not classified as hazardous	
	Not classified as hazardous	
 Self-reactive substances and mixtures 	Not classified as hazardous	
	Not classified as hazardous	
 Pyrophoric liquids 	Not classified as hazardous	
	Not classified as hazardous	
 Pyrophoric solids 	Not classified as hazardous	
	Not classified as hazardous	
• Self-heating substances and mixtures	Not classified as hazardous	
	Not classified as hazardous	
• Substances and mixtures, which emit flamma	ble	
gases in contact with water	Not classified as hazardous	
	Not classified as hazardous	
· Oxidising liquids	Not classified as hazardous	
	Not classified as hazardous	
· Oxidising solids	Not classified as hazardous	
	Not classified as hazardous	
· Organic peroxides	Not classified as hazardous	
	Not classified as hazardous	
· Corrosive to metals	May be corrosive to metals.	
	Not classified as hazardous	
 Desensitised explosives 	Not classified as hazardous	
	Not classified as hazardous	

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

- · 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions :

Reactions to oxidizing agents, reducing and strong bases .. Reacts with various metals.

- 10.4 Conditions to avoid : No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products:

Nitrogen oxides (NOx) Sulphur oxides (SOx) Carbon monoxide and carbon dioxide Poisonous gases/vapours Chlorine

(Contd. on page 8)

[—] GB —



Page 8/11

Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 10.11.2022

Version number 2 (replaces version 1)

Revision: 10.11.2022

Trade name: CLEAN BOAT SPECIAL CARENE

(Contd. of page 7)

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

CAS: 7647-01-0 hydrogen chloride

Oral LD50 900 mg/kg (rabbit)

Inhalative LC50/4 h 45.6 mg/l (rat)

- · On the skin: Causes skin irritation.
- · On the eyes: Causes serious eye irritation.
- Respiratory or skin sensitization Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability : No further relevant information available.
- · 12.3 Bioaccumulative potential : No further relevant information available.
- · 12.4 Mobility in soil : No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects :** No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- GB -



Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 10.11.2022

Version number 2 (replaces version 1)

Revision: 10.11.2022

Trade name: CLEAN BOAT SPECIAL CARENE

(Contd. of page 8)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation :



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

- 20 00 00 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
- 20 01 00 separately collected fractions (except 15 01)
- 20 01 29* detergents containing hazardous substances

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

- HP8 Corrosive
- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, IMDG, IATA 14.2 UN proper objecting name 	UN1789
 · 14.2 UN proper shipping name · ADR · IMDG, IATA · 14.3 Transport hazard class(es) 	UN1789 HYDROCHLORIC ACID solution HYDROCHLORIC ACID solution
ADR	
· Class · Label	8 (C1) Corrosive substances. 8
· IMDG, IATA	
· Class · Label	8 Corrosive substances. 8 (Contd. on page 10)



Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 10.11.2022

Version number 2 (replaces version 1)

Revision: 10.11.2022

Trade name: CLEAN BOAT SPECIAL CARENE

	(Contd. of page 9)
· 14.4 Packing group	
ADR, IMDG, IATA	
14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user 	Warning: Corrosive substances.
 Hazard identification number (Kemler code): 	80
EMS Number:	F-A,S-B
Segregation groups	(SGG1a) Strong acids
Stowage Category	C
14.7 Maritime transport in bulk according to IMC	
instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	1L
 Excepted quantities (EQ) 	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID SOLUTION, 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 11)

[—] GB —



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 10.11.2022

Version number 2 (replaces version 1)

Revision: 10.11.2022

Trade name: CLEAN BOAT SPECIAL CARENE

· Regulation (EC) No 273/2004 on drug precursors

CAS: 7647-01-0 hydrogen chloride: 3

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

CAS: 7647-01-0 hydrogen chloride: 3

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Classification in accordance with Delegated Regulation (EU) 2021/849 of 28 May 2021 adapting to technical and scientific progress GB CLP for the 17th time and amending table 3 of Annex VI part 3 of Regulation (EC) 1272/2008.

· Relevant phrases

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Classification according to Regulation (EC) No 1272/2008

Corrosive to metals

On basis of test data

Skin corrosion/irritation Serious eye damage/eye irritation

The classification of the mixture is generally based on the calculation method using substance data according to Specific target organ toxicity (single exposure) Regulation (EC) No 1272/2008.

- · Date of previous version: 09.11.2022
- · Version number of previous version: 1
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

- DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50⁻ Lethal concentration 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Met. Corr.1: Corrosive to metals Category 1
- Skin Corr. 1B: Skin corrosion/irritation Category 1B
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3

(Contd. of page 10)